




<b>2<sup>nd</sup> Shot Logistics, LLC</b>			571 Awin Cir		
<b>Preventative Maintenance- TRAILER</b>			Palm Bay, FL 32909		
			Ph: (773) 332 2003 Email: Manage.2ndsl@gmail.com		
TRK UNIT#	LICENSE #	STATE	YEAR	MAKE	VIN#
NAME OF DRIVER		REGISTERED OWNER		DATE (MM/YY)	
NAME OF INSPECTION FACILITY	ADDRESS OF INSPECTION FACILITY			CITY, STATE, ZIP	



STEER TIRES MUST BE A MINIMUM OF 5/32NDS DRIVE TIRES MUST BE A MINIMUM OF 3/32NDS  
BRAKES MUST BE A MINIMUM OF 12/32NDS (ALL MEASUREMENTS MUST BE TAKEN AT THE LOWEST

**\*\*\*PLEASE FILL OUT BOTTOM PORTION OF THIS PAGE FULLY\*\*\***

OK	NEEDS REPAIR	ITEM INSPECTED	OK	NEEDS REPAIR	ITEM INSPECTED
		<b>A. BRAKE SYSTEM</b>			<b>F. WHEEL ASSEMBLY</b>
		1. SERVICE BRAKES			1. WHEELS AND RIMS (CRACKS OR DAMAGE)
		2. PARKING BRAKE SYSTEM			2. HUBCAPS AND WHEEL SEALS- CHECK FOR VISIBLE SYMPTOMS/LEAKS
		3. BRAKE DRUMS OR ROTORS			3. WELDS, FASTENERS AND LOCKS
		4. BRAKE HOSE OR TUBING			<b>G. WINDSHIELD</b>
		5. S-CAM, SLACK ADJUSTERS, AIR CHAMBERS			1. WINDSHIELD CRACKS OR GLAZING
		6. TRACTOR PROTECTION VALVE			2. WINDSHIELD WIPERS
		7. LOW PRESSURE WARNING DEVICE			<b>H. EXHAUST SYSTEM</b>
		8. AIR COMPRESSOR			1. LEAKS FORWARD OR BELOW DRIVER SLEEPER COMPARTMENT
		9. BRAKE LINING (CRACKS AND WEAR)			2. LOCATED TO PREVENT DAMAGE TO COMBUSTIBLE PARTS
		10. BRAKE ADJUSTMENT			<b>I. FUEL SYSTEM</b>
		<b>B. COUPLING DEVICES</b>			1. VISIBLE LEAKS
		1. FIFTH WHEEL			2. FUEL TANK & LINES SECURED
		<b>C. STEERING MECHANISM</b>			<b>J. LIGHTING DEVICES</b>
		1. STEERING WHEEL FREE PLAY			1. HEAD LAMPS
		2. STEERING COLUMN			2. STOP/TAIL LAMPS
		3. PITMAN ARM			3. SIGNAL/HAZARD WARNING
		4. TIE RODS/ BALL & SOCKET JOINTS			4. CLEARANCE AND MARKER LAMPS
		5. FRONT AXLE			5. REFLECTIVE TAPE
		6. POWER STEERING			<b>K. FRAME</b>
		<b>D. SUSPENSION</b>			1. FRAME AND CROSS MEMBERS

		1. U-BOLTS, SPRING HANGERS OR SPRINGS			2. TIRE AND WHEEL CLEARANCE
		2. OTHER AXLE POSITIONING PARTS			<b>L. BLINDSPOT MIRROR</b>
		3. TORQUE/RADIUS/TRACKING COMPONENTS			<b>M. EMERGENCY EQUIPMENT</b>
		4. TRACTOR SUSPENSION			1. FIRE EXTINGUISHER PRESENT AND MOUNTED PROPERLY
		<b>E. TIRES</b>			2. 3 REFLECTIVE TRIANGLES
		1. ABNORMAL WEAR (FLAT SPOTS OR CUPPING)			<b>N. MUDFLAPS</b>
		2. BODY PLY/BELT MATERIAL EXPOSED IN TREAD/SIDEWALL			<b>O. HORN</b>
		3. CLEARANCE			<b>P. SEATBELT OPERATIONAL</b>
		4. CUTS, LACERATIONS OR ANY OTHER DAMAGE			
		5. AIR PRESSURE 100 PSI IN ALL TIRES			
<b>COMMENTS</b> _____ _____ _____					QUALIFIED INSPECTOR
					INSPECTOR SIGNATURE
CERTIFICATION: THIS VEHICLE HAS PASSED ALL THE INSPECTION ITEMS FOR THE ANNUAL VEHICLE INSPECTION IN ACCORDANCE WITH 49 CFR PART 396					